

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	220062	allen bradley	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 19:19
L3	1451	allen.as. and bradley.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 19:19
L4	16	("3810118" "3942158" "3992654" "3997879" "4078259" "4095094" "4118789" "4118792" "4151580" "4152750" "4165534" "4404651" "4413319" "4442504" "4535456" "4633466").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/20 19:25
L5	12	"4344479"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/20 19:25
L6	13480	((318/254) or (318/565) or (318/606) or (318/727) or (318/799) or (388/814) or (417/44. 1) or (417/45) or (431/20) or (454/61) or (700/33) or (701/29) or (702/115) or (702/142) or (702/58) or (702/60) or (73/773) or (73/862. 09)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 20:18
L7	88	(current or power or energy) with (fan or blower or motor) with (speed or tach or tachometer) same (fault or alarm or failure) same compare	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 20:19
L8	16	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 20:19
S1	42482	speed with (fan or blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 13:05

S2	453	speed with (fan or blower) with feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 13:06
S3	289	speed with (fan or blower) with tachometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 13:21
S4	3340	pitot adj tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 13:15
S5	188	speed with (fan or blower) and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 13:15
S6	5451	(speed with (fan or blower or motor) with tachometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 13:21
S7	723	(speed with (fan or blower or motor) with tachometer) and (fan or blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:22
S8	97	(speed with (fan or blower or motor) with tachometer) and (fan or blower) and (S4 or (flow with sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:14
S9	2934705	current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:14

S10	598366	(current or power) with (fan or blower or motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:15
S11	101653	(current or power) with (fan or blower or motor) with (speed or tach or tachometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:16
S12	105978	(current or power or energy) with (fan or blower or motor) with (speed or tach or tachometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:16
S13	3762	(current or power or energy) with (fan or blower or motor) with (speed or tach or tachometer) same (fault or alarm or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:17
S14	88	(current or power or energy) with (fan or blower or motor) with (speed or tach or tachometer) same (fault or alarm or failure) same compare	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 20:18
S15	294	(current or power or energy) with (fan or blower or motor) with (speed or tach or tachometer) same (fault or alarm or failure) same compare\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:17
S16	378	(current or power or energy) with (fan or blower or motor) with (speed or tach or tachometer) same (fault or alarm or failure) same (compar\$2 or comparison)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:57
S17	378	(current or power or energy) with (fan or blower or motor) with (speed or tach or tachometer) same (fault or alarm or failure) same (compar\$2 or comparison)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 19:19